



STRATASYS FDM

F123 Series

Stratasys F123 Series

Reliable. Repeatable. Exceptional.








Precision 3D printing. Easy as F123.

More reliable, more affordable, more productive rapid prototyping and manufacturing than ever before.







More speed. More productivity.

F123 Series 3D printers give designers, engineers and educators access to affordable, industrial-grade 3D printing. Work faster through concept iterations and component verification. Make jigs, fixtures and manufacturing tools faster, with strong, stiff materials. Increase productivity and reach your goals sooner with repeatable results.



Smoother workflow. Greater accuracy.

F123 3D printers are designed for supreme ease of use and a more streamlined workflow, operating seamlessly with GrabCAD Print™ software. Execute complete control over native features such as surfaces, holes, and bodies. You can also apply varying levels of strength to different regions of the file, resulting in optimized FDM parts.

The upgraded version of the standard software, GrabCAD Print Pro™, is inclusive of advanced features that boost traceability and repeatability while decreasing overall costs.







30 years of expertise. 100,000 hours of testing. Only one F123 Series.

For companies and schools new to 3D printing and established users alike, Stratasys F123 3D printers are the game-changing choice, with the highest levels of plug-and-print reliability and repeatable accuracy.

More choices. More possibilities.

From the affordable F170™ to the versatile F370, the choices available with F123 Series printers are unmatched. Work with a wide range of materials including carbon fiber ABS and elastomer. Achieve complex geometries and interlocking components with our unique soluble

support material.

However intricate the part, the soluble support dissolves to leave a pristine finish, requiring no hands-on removal.







Want to know more?

View the full specifications of our F123 Series below or contact us for a recommendation on the right system for you at theD2Mco.com



0 1 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	E480 E080 4 600 00	711 (04 04	001 \ 0071 (500)		
System Size and Weight	F170, F370: 1,626 x 864 x 711 mm (64 x 34 x 28 in.), 227 kg (500 lbs) with consumables				
Noise Specification	46 dB maximum during build, 35 dB when idle				
Layer Thickness		0.330mm (0.013 in.)	0.254mm (0.010 in.)	0.178mm (0.007 in.)	0.127mm (0.005 in.) ¹
	PLA	0	•	0	0
	ABS-M30	•	•	•	•
	ABS-CF10	•	•	•	0
	ASA	•	•	•	•
	PC-ABS	•	•	•	•
	ABS-ESD7™	0	•	•	0
	Diran™ 410MF07	•	•	•	0
	FDM™ TPU 92A	0	•	•	0
Accuracy ¹	Parts are produced within an accuracy of +/200 mm (.008 in), or +/002 mm/mm (.002 in/in), whichever is greater				
Network Connectivity	Wired: TCP/IP protocols at 100 Mbps minimum 100 base T, Ethernet protocol, RJ45 connector				
	Wireless-ready: IEEE 802.11n, g, or b; Authentication: WPA2-PSK, 802.1x EAP; Encryption: CCMP, TKIP				
System Requirements	Windows 7, 8, 8.1 and 10 (64 bit only) with a minimum of 4GB RAM (8 GB or more recommended)				
Operating Environment	Operating: Temperature: 59 – 86 °F (15 – 30 °C), Humidity: 30 – 70% RH				
	Storage: Temperature: 32 – 95 °F (0 – 35 °C), Humidity: 20 – 90% RH				
Power Requirements	100–132V/15A or 200 – 240V/7A. 50/60 Hz				
Regulatory Compliance	CE (low-voltage and EMC directive), FCC, EAC, cTUVus, FCC, KC, RoHs, WEEE, Reach				

	F170	F370	
Available material	PLA ² , ABS-M30, ABS-CF10, ASA, TPU 92A, QSR Support material	PLA ² , ABS-ESD7, ABS-M30, ABS-CF10, ASA, Diran 410MF07 ² , FDM TPU 92A, PC-ABS, QSR Support material	
Build tray dimension	254 x 254 x 254 mm (10 x 10 x 10 in.)	355 x 254 x 355 mm (14 x 10 x 14 in.)	
Material Bays	2 total 1 model / 1 support	4 total 2 model / 2 support	
Software	GrabCAD Print, GrabCAD Print Pro	GrabCAD Print, GrabCAD Print Pro Insight™	

Get Expert Guidance on Your Additive Manufacturing Journey

From prototyping to production, our consultants help you choose the right printers, materials, and strategies to scale smarter.

TALK TO AN EXPERT

Visit https://theD2Mco.com/contact-us



